



DEPARTMENT OF THE ARMY

THE INSTITUTE OF HERALDRY
9325 GUNSTON ROAD, ROOM S113
FORT BELVOIR, VIRGINIA 22060-5579

AAMH-IHS

16 November 2018

MEMORANDUM FOR Commander, Security Force Assistance Command, ATTN:
MSGT Franshun Manning, 4700 Knox Street, Fort Bragg, NC 28310

SUBJECT: Authorized Insignia for the Security Force Assistance Command
(SFAC)

1. The following heraldic items are authorized for the SFAC, effective 1 October 2018.

a. Distinctive unit Insignia (Encl 1)

DESCRIPTION

On a blue arrowhead shaped gold metal and epoxied device 1 3/16" (3.02cm) a vertical white bladed sword with gold hilt and grip, all within a gold border. Attached below the arrowhead, a red scroll bearing the inscription "**VICTORIOUS TOGETHER**" in gold.

SYMBOLISM

The arrowhead is indicative of leadership and direction; key attributes for a successful command and in training those that follow. The arrowhead and sword convey both force and protection through offensive and defensive capabilities. Red, white, and blue are the national colors. The color gold exemplifies excellence and expertise.

b. A shoulder sleeve insignia and Tab (Encl 2)

DESCRIPTION

On a shield shaped embroidered item, edged with a 1/8" (0.32cm) gold border blazoned as follows: Gules, between thirteen mullets Argent an arrowhead Azure bearing a sword erect blade of the second, hilt Or. Overall dimensions for the item are 3" (7.62cm) in height by 2" (5.08cm) in width. Attached above the shield, a scarlet tab embroidered item, edged with a 1/8" (0.32cm) gold border, inscribed with "**ADVISOR**" in gold. Overall dimensions for the tab are 2 5/8" (6.67cm) in width by 1" (2.54cm) in height.

AAMH-IHS

SUBJECT: Authorized Insignia for the Security Force Assistance Command (SFAC)

SYMBOLISM

The arrowhead shape alludes to leadership and direction as well as a focused approach to all tasks and challenges. The sword conveys force, whether it be offense, defense or the assistance in training partners towards those capabilities. The colors blue and red denote security and authority. The color white highlights the uniqueness of the brigade and their specialized missions. The color gold exemplifies excellence and expertise. The thirteen stars are adapted from the glory in the crest of the United States Arms and recall the thirteen original states. The shape of the shield and sword are reminiscent of the MAC-V insignia to convey a similar mission and heritage.

c. A beret flash (Encl 3)

d. Distinguishing colors IAW AR 840-10 (Encl 4)

2. This authorization is in accordance with AR 670-1, AR 840-10 and Headquarters, U.S. Army Forces Command, Permanent Order 142-1, dated 22 May 2018. A copy of this letter will become part of your permanent organizational history files.

3. Your point of contact for this action is Mr. Garrison, keith.a.garrison6.civ@mail.mil. or 571-515-0324.

Encls

CF:
The U.S. Army Center of Military
History

MUGNO.CHARLE MUGNO.CHARLES.V.10
20723374
S.V.1020723374 2018.11.16 12:31:07
-05'00'

CHARLES V. MUGNO
Director



SIX TIMES SIZE



ACTUAL SIZE

**DISTINCTIVE UNIT INSIGNIA
SECURITY FORCE ASSISTANCE COMMAND**



SECURITY FORCE ASSISTANCE COMMAND

TYPE I D-6995

****This Drawing is 6x-Actual Size****

ACTUAL SIZE-----1 3/16" ± 1/64" High (3.02 cm ± 0.04 cm)

METAL COLOR & PLATING-----Gold
FINISH-----Mirror-like polish

DESIGN
CHARGES-----Flush, Sword handle to be recessed & modeled, and filled with Transparent Yellow #37

LETTERING-----Finished metal
PIERCING-----None, area between scroll and shield to be recessed and textured

EPOXY-----Stoning
CHIP No's-----Red #1, Blue #18, White #28, Transparent Yellow #37


**FOR COLOR PLACEMENT ONLY
NOT FOR COLOR MATCH**

APPROVED

*THE INSTITUTE OF HERALDRY,
DEPARTMENT OF THE ARMY*

MUGNO.CHARLES.V.102 MUGNO.CHARLES.V.1020723374
0723374 2018.11.14 13:58:00 -05'00'

*CHARLES V. MUGNO
DIRECTOR*



TYPE I D-6995

SECURITY FORCE ASSISTANCE COMMAND

****This Drawing is 6x-Actual Size****

ACTUAL SIZE-----1 3/16" ± 1/64" High (3.02 cm ± 0.04 cm)

METAL COLOR & PLATING-----Gold
 FINISH-----Mirror-like polish

DESIGN
 CHARGES-----Flush, Sword handle to be recessed & modeled, and filled with Transparent Yellow #37


LETTERING-----Finished metal
 PIERCING-----None, area between scroll and shield to be recessed and textured

EPOXY-----Stoning
 CHIP No's-----Red #1, Blue #18, White #28, Transparent Yellow #37

APPROVED
THE INSTITUTE OF HERALDRY,
DEPARTMENT OF THE ARMY

MUGNO.CHARLES.V.102 MUGNO.CHARLES.V.1020723374
 0723374 2018.11.14 13:58:26 -05'00'

CHARLES V. MUGNO
DIRECTOR



SECURITY FORCE ASSISTANCE COMMAND

TYPE I D-6995

****This Drawing is 6x-Actual Size****

ACTUAL SIZE-----1 3/16" ± 1/64" High (3.02 cm ± 0.04 cm)

METAL COLOR & PLATING-----Gold
 FINISH-----Mirror-like polish

DESIGN
 CHARGES-----Flush, Sword handle to be recessed & modeled, and filled with Transparent Yellow #37

LETTERING-----Finished metal
 PIERCING-----None, area between scroll and shield to be recessed and textured

EPOXY-----Stoning
 CHIP No's-----Red #1, Blue #18, White #28, Transparent Yellow #37

APPROVED
 THE INSTITUTE OF HERALDRY,
 DEPARTMENT OF THE ARMY
 MUGNO.CHARLES MUGNO.CHARLES.V.10207
 23374
 .V.1020723374 2018.11.14 13:58:41 -05'00'


CHARLES V. MUGNO
 DIRECTOR



COLOR



OCP



LINE

**SHOULDER SLEEVE INSIGNIA
SECURITY FORCE ASSISTANCE COMMAND**


FOR SUBDUED INSIGNIA

OCP:

RED AREAS TO BE BAGBY GREEN 67204. YELLOW AND WHITE AREAS TO BE BLACK 67138. BLUE AREAS TO BE OLIVE DRAB 67133.

REVISIONS

LTR	DESCRIPTION	DATE	APPROVED
-----	-------------	------	----------



DESIGNED FOR OVEREDGE STITCHING

**STITCHES 6477 (MINIMUM)
DENIER 90/2
SPAN 8/4**

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES

EXAMINED	<i>TLG</i>	
CHECKED	<i>CA</i>	<i>SAO</i>
PREPARED	<i>AWW</i>	

THE INSTITUTE OF HERALDRY, DEPARTMENT OF THE ARMY
9325 GUNSTON RD, RM S-113 FORT BELVOIR, VA 22060-5579

SHOULDER SLEEVE INSIGNIA
**SECURITY FORCE ASSISTANCE
COMMAND**

MATERIALS:
TO BE MANUFACTURED IN ACCORDANCE WITH MIL-DTL-14652

APPROVED
MUGNO.CHARLES
S.V.1020723374
Digitally signed by MUGNO.CHARLES.V.1020723374 Date: 2018.07.31 14:11:50 -0400

CHARLES V. MUGNO
DIRECTOR

SIZE **B** CONTROL IDENT. NO **22571**

A-1-1122


SCALE FULL DATE **31 JULY 2018**

FOR SUBDUED INSIGNIA

OCP:
 RED AREAS TO BE BAGBY GREEN
 67204. YELLOW AREAS TO BE
 BLACK 67138.

REVISIONS

LTR	DESCRIPTION	DATE	APPROVED
-----	-------------	------	----------



DESIGNED FOR OVEREDGE STITCHING

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES

EXAMINED	TLC	
CHECKED	CA	SAO
PREPARED	AWW	

THE INSTITUTE OF HERALDRY, DEPARTMENT OF THE ARMY
 9325 GUNSTON RD, RM S-113 FORT BELVOIR, VA 22060-5579


SHOULDER SLEEVE INSIGNIA
**SECURITY FORCE ASSISTANCE
 COMMAND**

MATERIALS:
 TO BE MANUFACTURED
 IN ACCORDANCE WITH
 MIL-DTL-14652


APPROVED
 MUGNO.CHARLE
 S.V.1020723374
Digitally signed by
 MUGNO.CHARLES V. 10207233
 74
 Date: 2018.07.31 14:11:09
 -04'00'
CHARLES V. MUGNO
 DIRECTOR

SIZE CONTROL IDENT. NO
B 22571 A-1-1122A


SCALE FULL DATE **31 JULY 2018**



REVISIONS



DISTINGUISHING FLAG, HEADQUARTERS
SCALE: 2" = 1'



GUIDON, HEADQUARTERS COMPANY/DETACHMENT
SCALE: 3" = 1'-0"

NO. OF LINE	USER	FLAG AND GUIDON BASE & CABLE No.	CENTER STRIPE & CABLE No.	FRINGE & CABLE No.	SCROLL & CABLE No.	SSI DRAWING NUMBER
1.	NON-BRANCH ORIENTED	NATIONAL FLAG BLUE 80077	YELLOW 65002	YELLOW 65002	YELLOW 65002	APPLICABLE MACOM SSI
2.	US ARMY CORPS OF ENGINEERS	SCARLET 65006	WHITE 65005	WHITE 65005	WHITE 65005	A-1-617
3.	SURFACE DEPLOYMENT AND DISTRIBUTION COMMAND	NATIONAL FLAG BLUE 80077	YELLOW 65002	YELLOW 65002	YELLOW 65002	A-1-401
4.	US ARMY INTELLIGENCE AND SECURITY COMMAND	ORIENTAL BLUE 65027	SILVER GRAY 65006	SILVER GRAY 65006	SILVER GRAY 65006	A-1-611
5.	TROOP COMMAND ARNG ELEMENT JOINT FORCE HEADQUARTERS*	DARK BLUE 65012	YELLOW 65002	YELLOW 65002	YELLOW 65002	APPLICABLE JFH SSI
6.	US ARMY SPACE COMMAND	NATIONAL FLAG BLUE 80077	YELLOW 65002	YELLOW 65002	YELLOW 65002	A-1-826
7.	US ARMY FINANCIAL MANAGEMENT COMMAND	SILVER GRAY 65006	GOLDEN YELLOW 65001	YELLOW 65002	YELLOW 65002	A-1-1125
8.	1st BCD/SOUTHERN COMMAND	NATIONAL FLAG BLUE 80077	YELLOW 65002	YELLOW 65002	YELLOW 65002	A-1-311
9.	3d BCD/US FORCES KOREA	NATIONAL FLAG BLUE 80077	YELLOW 65002	YELLOW 65002	YELLOW 65002	A-1-287
10.	4th BCD/CENTRAL COMMAND	NATIONAL FLAG BLUE 80077	YELLOW 65002	YELLOW 65002	YELLOW 65002	A-1-3
11.	5th BCD/PACIFIC COMMAND	NATIONAL FLAG BLUE 80077	YELLOW 65002	YELLOW 65002	YELLOW 65002	A-1-287
12.	19th BCD/EUROPEAN COMMAND & AFRICA COMMAND	NATIONAL FLAG BLUE 80077	YELLOW 65002	YELLOW 65002	YELLOW 65002	A-1-367
13.	SECURITY FORCE ASSISTANCE COMMAND	NATIONAL FLAG BLUE 80077	YELLOW 65002	YELLOW 65002	YELLOW 65002	A-1-1122 & 1122A

* NUMBER OF BATTALION UNDER THE TROOP COMMAND SHALL APPEAR AT LOCATION "A" AND SHALL READ CORRECTLY ON BOTH SIDES OF THE GUIDON, UTILIZING CUT-OUT AND DIRECT APPLIQUE ON ONE SIDE AND APPLIQUE TO PATCH (DARK BLUE 65012), WITH PATCH APPLIED TO THE GUIDON USING DARK BLUE EMBROIDERY (CABLE No. 67126) ON THE REVERSE SIDE. NUMERALS TO BE YELLOW. FOR NUMERALS SEE TIOH DWG No. 5-1-243.

NOTES:

- TO BE MANUFACTURED IN ACCORDANCE WITH LATEST REVISION OF SPECIFICATION MIL-DTL-2692.
- SHOULDER SLEEVE INSIGNIA (INCLUDING TABS) AND STRIPE SHALL APPEAR ON BOTH SIDES OF THE FLAG AND GUIDON AND WILL APPEAR AS ILLUSTRATED ON BOTH SIDES. SSI SHALL BE APPLIED IN PROPER COLORS AND WILL BE 15" (38.1cm) ON FLAGS AND 8-1/2" (21.59cm) ON GUIDONS. (SIZE SHALL BE DETERMINED BY HEIGHT OR WIDTH, WHICHEVER IS GREATER, AND INCLUDE TABS, IF APPLICABLE.)
- PIPING IS REQUIRED IF THE EDGE OF THE SHOULDER SLEEVE INSIGNIA IS OTHER THAN WHITE OR YELLOW AND THE SSI GOES ON A DARK COLOR FLAG OR GUIDON; OR WHEN EDGE IS WHITE OR YELLOW AND SSI GOES ON A LIGHT COLOR FLAG OR GUIDON. PIPING SHALL BE 1/4" (0.64cm) WIDE ON FLAGS AND 1/8" (0.32cm) WIDE ON GUIDONS. PIPING ON THE STRIPE WILL BE THE COLOR OF THE FLAG OR GUIDON BASE, AND PIPING ON THE FLAG OR GUIDON BASE WILL BE THE COLOR OF THE STRIPE.
- SCROLL AND DESIGNATION SHALL APPEAR ON BOTH SIDES OF THE FLAG AND WILL READ FROM LEFT TO RIGHT ON BOTH SIDES. SCROLL SHALL BE APPLIQUE AND APPLIED TO THE FLAG BASE AND DETAILED WITH EMBROIDERY 3/16" WIDE. APPLIQUE STITCHING AND EMBROIDERED DESIGNATION WILL BE IN THE COLOR OF THE FLAG BASE.
- ALL DIMENSIONS EXCLUSIVE OF HEMS.
- TOP, BOTTOM, AND FLY EDGES OF GUIDON TO BE HEMMED.
- FOR APPLIQUED AREAS OF SHOULDER SLEEVE INSIGNIA ON FLAG AND GUIDON USE CLOTH STANDARDS.
- WHEN SHOULDER SLEEVE INSIGNIA IS EDGED WITH AN ARMY GREEN BORDER (CABLE No. 67131), THE BORDER IS NOT TO BE USED ON THE FLAG OR GUIDON.
- FOR HEADING SEE TIOH DWG No. 5-1-45E.

MATERIAL:

- FLAG BASE AND STRIPE.....RAYON BANNER CLOTH
- FRINGE.....RAYON, 2-12" WIDTH
- SHOULDER SLEEVE INSIGNIA.....RAYON APPLIQUE
- SCROLL.....RAYON APPLIQUE
- DESIGNATION.....MACHINE EMBROIDERY
- GUIDON BASE AND STRIPE.....NYLON-WOOL, BUNTING OR HEAVYWEIGHT NYLON
- SHOULDER SLEEVE INSIGNIA.....SHEETING OR NYLON

SUPERSEDES TIOH DWG No. 5-1-358 DTD 06 FEBRUARY 2018


EXAMINED		THE INSTITUTE OF HERALDRY, DEPARTMENT OF THE ARMY
CHECKED		9325 GUNSTON RD, RM S-113 FORT BELVOIR, VA 22060-5579
PREPARED	AW	DISTINGUISHING FLAGS AND GUIDONS
APPROVED		MAJOR SUBORDINATE COMMANDS OF ARMY COMMANDS, ARMY SERVICE COMPONENT COMMANDS, AND DIRECT REPORTING UNITS
CHARLES V. MUGNO DIRECTOR		SIZE D CODE IDENT. No. 22571
MATERIAL:		SCALE FULL DATE 17 OCTOBER 2018

5-1-358



**SECURITY FORCE ASSISTANCE
COMMAND BERET FLASH**

REVISIONS



DESIGNED FOR OVEREDGE STITCHING

A	EXAMINED	<i>TLC</i>		THE INSTITUTE OF HERALDRY, DEPARTMENT OF THE ARMY 9325 GUNSTON RD, RM S-113 FORT BELVOIR, VA 22060-5579					
	CHECKED	<i>CA</i>	<i>SAO</i>						
	PREPARED	AWW		BERET FLASH SECURITY FORCE ASSISTANCE COMMAND					
	APPROVED			<table border="1"> <tr> <td>SIZE</td> <td>CONTROL IDENT. NO</td> <td rowspan="2" style="font-size: 2em;">A-4-321</td> </tr> <tr> <td style="font-size: 2em;">B</td> <td style="font-size: 2em;">22571</td> </tr> </table>	SIZE	CONTROL IDENT. NO	A-4-321	B	22571
	SIZE	CONTROL IDENT. NO	A-4-321						
B	22571								
<hr style="width: 30%; margin: 0 auto;"/> CHARLES V. MUGNO - DIRECTOR			<table border="1"> <tr> <td>SCALE</td> <td>FULL</td> <td>DATE</td> <td>16 NOVEMBER 2018</td> </tr> </table>	SCALE	FULL	DATE	16 NOVEMBER 2018		
SCALE	FULL	DATE	16 NOVEMBER 2018						
MATERIALS: TO BE MANUFACTURED IN ACCORDANCE WITH MIL-DTL-14652									